How to Setup PTZ IP Camera WiFi Parameters

1, Log in CMS software to manage your camera, click mouse right button on image, then click

Device Config option.

CMS		-	
Device	Monitor		
	Window:1 Close window Close all window Audio	15:44 2017- CPU	
	3D Positioning Local record DigitalRegion Snapshot Start talk	Sys Device Mi	
	Device config Color Setting View Full View Full View Full View Full View Full	Local C Remote	
	H.264 dyr H.264 dyr H.264 dyr H.264 dyr	Acco	

2, Settings---System---NetService.



3, Double click mouse left button on WiFi option.



4, Open Enable and DHCP, click Search button to start searching your home WiFi SSID, then

choose correct home WiFi SSID, Input your home WiFi password, last click OK.

CMS			- 6
Device		Monitor	Time
Device ↓ test ⇒ 192.168.6.222 ↓ CAM01	Device Config	Monitor Setting -> System -> NetService Wifi SSID Authentication Signal ChinaNet-54T WPAIPSKW Very Low Intervention Search Enable SSID 4G Enable Image: Solution TKIPAES	Time 16:07:59 2017-03-06 CPU : 9% System Oevice Manage Local Config Remote Config
		Password enter the wifi passwork IP Address 192 . 168 . 0 . 125 subnet Mask 255 . 255 . 0 gateway 192 . 168 . 0 . 1 Gateway 192 . 168 . 0 . 1 OK Cancel Cancel	Account Local Log

5. Click OK again.



6, Now your camera is connected by WiFi signal, you can remove Ethernet cable.